

# Hospital Equity Measures Report

## General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
Hospital Name:	LOMPOC VALLEY MEDICAL CENTER
Facility Type:	General Acute Care Hospital
Hospital HCAI ID:	106420491
Report Period:	01/01/2024 - 12/31/2024
Status:	Submitted
Due Date:	11/29/2025
Last Updated:	11/18/2025
Hospital Location with Clean Water and Air:	Y
Hospital Web Address for Equity Report:	<a href="https://www.lompocvmc.com">https://www.lompocvmc.com</a>

## Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

## Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:

[https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill\\_id=202120220AB1204](https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204)

## Hospital Equity Measures

### Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce-health-care-disparities/>

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

28014

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	23989	28014	85.6
Spanish Language	3947	28014	14.1
Asian Pacific Islander Languages	14	28014	0.0
Middle Eastern Languages	suppressed	28014	suppressed
American Sign Language		28014	
Other Languages	suppressed	28014	suppressed

## Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a general acute care hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:

<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

### Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

### CMS HCHE Measure Domain 2: Data Collection (Yes/No)

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.

- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

Y

#### CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

#### CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

#### CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

### **Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)**

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

213

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

417

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

51.0

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

Social Driver of Health	Number of positive screenings	Rate of positive screenings (%)	Number of positive screenings who received intervention	Rate of positive screenings who received intervention (%)
Food Insecurity	4	2.0	0	
Housing Instability	5	2.0	0	
Transportation Problems	6	3.0	0	
Utility Difficulties	6	3.0	0	
Interpersonal Safety	0	0.0	0	

## Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:  
<https://hcahpsonline.org/en/survey-instruments/>

### Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

233

Total number of respondents to HCAHPS Question 19

265

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

87.9

Total number of people surveyed on HCAHPS Question 19

1559

Response rate, or the percentage of people who responded to HCAHPS Question 19

17.0

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.



<b>Race and/or Ethnicity</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					
<b>Age</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					
<b>Sex assigned at birth</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Female					
Male					
Unknown					
<b>Payer Type</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Medicare					
Medicaid					
Private					
Self-Pay					
Other					
<b>Preferred Language</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign Language					
Other/Unknown Languages					

<b>Disability Status</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Does not have a disability					
Has a mobility disability					
Has a cognition disability					
Has a hearing disability					
Has a vision disability					
Has a self-care disability					
Has an independent living disability					
<b>Sexual Orientation</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					
<b>Gender Identity</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

## Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

233

Total number of respondents to HCAHPS Question 17

265

Percentage of respondents who responded "yes" to HCAHPS Question 17

87.9

Total number of people surveyed on HCAHPS Question 17

1559

Response rate, or the percentage of people who responded to HCAHPS Question 17

17.0

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					
<b>Age</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					
<b>Sex assigned at birth</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Female					
Male					
Unknown					

<b>Payer Type</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Medicare					
Medicaid					
Private					
Self-Pay					
Other					
<b>Preferred Language</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign					
Other/Unknown Languages					
<b>Disability Status</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Does not have a disability					
Has a mobility disability					
Has a cognition					
Has a hearing disability					
Has a vision disability					
Has a self-care					
Has an independent living disability					
<b>Sexual Orientation</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					



Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

## Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:  
<https://qualityindicators.ahrq.gov/>

## Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:  
[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_20\\_Pneumonia\\_Mortality\\_Rate.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf)

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

suppressed

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

suppressed

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

suppressed

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
American Indian or Alaska Native			
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed
<b>Age</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Age < 18			
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	0	14	0.0
Age 65 Years and Older	suppressed	suppressed	suppressed
<b>Sex assigned at birth</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			
<b>Payer Type</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	0	12	0.0
Private	suppressed	suppressed	suppressed
Self-Pay			
Other			

<b>Preferred Language</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			
<b>Disability Status</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			
<b>Sexual Orientation</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			
<b>Gender Identity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			



## Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI\\_04\\_Death\\_Rate\\_among\\_Surgical\\_Inpatients\\_with\\_Serious\\_Treatable\\_Complications.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf)

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

suppressed

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

suppressed

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

suppressed

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian			
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed
Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34			
Age 35 to 49			
Age 50 to 64			
Age 65 Years and Older	suppressed	suppressed	suppressed



<b>Sex assigned at birth</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			
<b>Payer Type</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid			
Private			
Self-Pay			
Other			
<b>Preferred Language</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			
<b>Disability Status</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			
<b>Sexual Orientation</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

### CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

31

Total number of nulliparous NTSV patients

92

Rate of NTSV patients with Cesarean deliveries

0.337

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
American Indian or Alaska Native	0		
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	0		
White	suppressed	suppressed	suppressed
<b>Age</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Age < 18	suppressed	suppressed	suppressed
Age 18 to 29	suppressed	suppressed	suppressed
Age 30 to 39	suppressed	suppressed	suppressed
Age 40 Years and Older	suppressed	suppressed	suppressed
<b>Sex assigned at birth</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Male			
Unknown			
<b>Payer Type</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Medicare	0		
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed
<b>Preferred Language</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	0		
Middle Eastern Languages	0		
American Sign Language	0		
Other/Unknown Languages	0		



<b>Disability Status</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_22\\_Vaginal\\_Birth\\_After\\_Cesarean\\_\(VBAC\)\\_Delivery\\_Rate\\_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

0

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria



# Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

## 0.0

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
American Indian or Alaska Native	0		
Asian	suppressed	suppressed	suppressed
Black or African American	0		
Hispanic or Latino	0	26	0.0
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific	0		
White	suppressed	suppressed	suppressed
<b>Age</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Age < 18	0		
Age 18 to 29	suppressed	suppressed	suppressed
Age 30 to 39	0	20	0.0
Age 40 Years and Older	suppressed	suppressed	suppressed
<b>Sex assigned at birth</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Female			
Male			
Unknown			
<b>Payer Type</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Medicare	0		
Medicaid	0	18	0.0
Private	0	19	0.0
Self-Pay	0		
Other	0		

<b>Preferred Language</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	0		
Middle Eastern Languages	0		
American Sign Language	0		
Other/Unknown Languages	0		
<b>Disability Status</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			
<b>Sexual Orientation</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			
<b>Gender Identity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser: <https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

118

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

266

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

44.4

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
American Indian or Alaska Native	0		
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific	0		
White	suppressed	suppressed	suppressed
<b>Age</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Age < 18	suppressed	suppressed	suppressed
Age 18 to 29	suppressed	suppressed	suppressed
Age 30 to 39	suppressed	suppressed	suppressed
Age 40 Years and Older	suppressed	suppressed	suppressed



<b>Sex assigned at birth</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Female			
Male			
Unknown			
<b>Payer Type</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Medicare	0		
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed
<b>Preferred Language</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	0		
American Sign Language	0		
Other/Unknown Languages	suppressed	suppressed	suppressed
<b>Disability Status</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			



<b>Sexual Orientation</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

[https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions\\_ADA.pdf](https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf)

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

167

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

1443

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older

11.6

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	12	83	14.5
Hispanic or Latino	35	486	7.2
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	104	756	13.8
Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	39	293	13.3
Age 65 Years and Older	99	656	15.1
Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	90	941	9.6
Male	77	502	15.3
Unknown			
Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	121	738	16.4
Medicaid	25	435	5.7
Private	20	224	8.9
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed
Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	162	1311	12.4
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	suppressed	suppressed	suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

43

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

267

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

16.1

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.



<b>Race and/or Ethnicity</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native			
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed
<b>Age</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed
<b>Sex assigned at birth</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			
<b>Payer Type</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay			
Other	suppressed	suppressed	suppressed
<b>Preferred Language</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			
<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			
<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

16

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

130

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

12.3

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native			
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed
<b>Age</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed
<b>Sex assigned at birth</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			
<b>Payer Type</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed
<b>Preferred Language</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			



<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			
<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			
<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## **HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders**

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

19

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

74

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

25.7

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native			
Asian			
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed
<b>Age</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed
<b>Sex assigned at birth</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			
<b>Payer Type</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other			
<b>Preferred Language</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

89

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

972

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

9.2

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.



<b>Race and/or Ethnicity</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	suppressed	suppressed	suppressed

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

## Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor			Medicaid	5.7	2.9
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity			Hispanic or Latino	7.2	2.0
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity			Hispanic or Latino	7.2	1.9
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Sex Assigned at Birth			Female	9.6	1.6
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor			Medicaid	5.7	1.6
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)			50 to 64	13.3	1.1

#### Plan to address disparities identified in the data

Based LVMC has identified for targeted interventions. Each focus area includes measurable goals, strategies, and expected population impacts to advance equity in care and reduce preventable readmissions.ð

ð

Disparity 1: Unplanned 30-Day Readmissions â?? Expected Payor: Medicare. Goal: Reduce all-cause 30-day readmissions for Medicare patients by 10% in the first year. Strategies: Conduct risk stratification for all Medicare patients. Use Transitional Care Teams or ECM partners to support discharge planning, teach-back education, medication reconciliation, and SDOH screening. Complete follow-up calls within 48 hours to confirm medications and address needs. Implement rapid referrals to community resources with closed-loop verification. Review readmissions daily and apply equity-focused interventions. Population Impact: Strengthens continuity of care, reduces preventable readmissions, and improves equity in outcomes.ð

Disparity 2: Unplanned 30-Day Readmissions â?? Black or African American Patients. Goal: Reduce all-cause 30-day readmissions for Black or African American patients by 10% in the first year. Strategies: Review readmissions by race, ethnicity, and diagnosis to identify high-disparity areas. Incorporate SDOH data such as housing, food security, transportation, utilities, and safety. Provide culturally responsive discharge planning and teach-back education. Engage family/support networks when appropriate. Conduct follow-up calls within 48â??72 hours. Use Transitional Care Teams or ECM programs for community-based support with closed-loop referrals. Population Impact: Reduces inequities, improves access and support, and aligns care with patient needs.ð

ð

Disparity 3: Unplanned 30-Day Readmissions â?? White vs. Hispanic/Latino. Goal: Reduce all-cause 30-day readmissions for White patients by 10% through targeted interventions addressing clinical and social barriers. Strategies: Review data by race, ethnicity, and diagnosis to identify departments with the largest disparities. Evaluate SDOH factors and tailor education to health literacy, access limitations, and geographic isolation. Use Transitional Care Teams for high-risk patients to ensure follow-up and adherence. Initiate follow-up calls within 48â??72 hours. Population Impact: Improves outcomes across populations, reduces preventable hospitalizations, and promotes equitable, patient-centered care.ð



Ð

Disparity 4: Unplanned 30-Day Readmissions â?? Sex Assigned at Birth (Male vs. Female). Goal: Reduce all-cause 30-day readmissions for males by 10% in the first year. Strategies: Implement gender-responsive care transition programs for high-impact diagnoses (CHF, COPD, post-operative care). Use standardized discharge checklists including medication reconciliation and teach-back. Schedule follow-up appointments prior to discharge. Complete follow-up calls within 48 hours. Perform SDOH screening and rapid referral to community advocates with closed-loop confirmation. Population Impact: Enhances chronic disease management, supports behavioral health needs, and reduces gender-based disparities.Ð

Ð

Disparity 5: Unplanned 30-Day Readmissions â?? Expected Payor: Private. Goal: Reduce all-cause 30-day readmissions for private payor patients by 10% in the first year. Strategies: Conduct risk stratification for all private payor patients. Use Transitional Care Teams to complete medication reconciliation, SDOH assessments, teach-back education, and rapid community referrals. Monitor readmissions daily and apply equity-focused interventions. Population Impact: Improves continuity of care, decreases avoidable hospital use, and increases patient satisfaction.Ð

Disparity 6: Unplanned 30-Day Readmissions â?? Age 65 and Older. Goal: Reduce all-cause 30-day readmissions for adults 65+ by 10% in the first year. Strategies: Implement Age-Friendly Hospital measures emphasizing patient goals, medication safety, mobility, frailty prevention, and social support. Tailor chronic disease programs to address geriatric needs. Review readmissions daily to identify trends and provide timely interventions. Population Impact: Enhances safety and independence for older adults, reduces readmissions, and improves overall care quality.Ð

Summary: LVMCâ??s equity plan targets six priority disparities across payor type, age, sex assigned at birth, and race/ethnicity. Using evidence-based, equity-focused strategiesâ??including risk stratification, transitional care, teach-back education, chronic disease management, and SDOH integrationâ??LVMC aims to reduce preventable readmissions, improve equitable outcomes, and strengthen patient and community trust.

## Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

### Person-centered care

LVMC values the perspectives of the patients and families we serve and remains committed to delivering patient-centered care guided by the voices of our patients, their families and community members. Ð

Ð

PFAC: The Patient and Family Advisory Council (PFAC) serve as the collective voice of patients and families guiding quality improvement and enhancing patient experience. LVMC engages PFAC members across multiple organizational initiatives, including review of communication drafts, educational materials, technology programs and standard operating procedures. Feedback requests are structured to encourage transparent, experienced-based discussions for friendlier services. Ð

Ð

Our goal is to expand this committee to have PFAC members serve on several key governance and clinical committees. This cross-functional representation strengthens our ability to integrate patient-

centered perspectives across multiple areas of the health system.

#### Patient safety

LVMC is committed to the safe and professional care of all patients, as well as the safety of visitors, employees, and healthcare practitioners. This commitment is supported by a Patient safety plan that identifies and addresses potential adverse events while protecting LVMC's resources and reputation. Leadership ensures organization-wide awareness, accountability, and investment in continuous performance improvement.

Key Practices:

1. "Just Culture & BETA HEART Programs: Utilization of RLDatix for reporting near-misses and adverse events. Goal of zero preventable harm.
2. "Safety Survey: Administered to staff, results shared via structured debrief to encourage learning and improvement.
3. "Vulnerability Identification & Rapid Response: Integrates human factors/ergonomic analysis and High Reliability Organization principles to promptly mitigate adverse events.
4. "Transparent Communication: Open, empathetic, and timely communication following adverse events supports patient and family healing while reinforcing trust.

Additional Goals:

1. "Peer Support/Caregiver program referral available 24/7.
2. "Vulnerability resolution process for harm due to inappropriate care or medical error.

#### Addressing patient social drivers of health

LVMC integrates SDOH screening into the EMR. Positive screenings trigger automatic consultations with case management to assess needs and provide community resources.

The organization's mission emphasizes improving community health through quality, teamwork, and addressing social barriers that drive better health outcomes.

### Performance in the priority area continued

Performance across all of the following priority areas.

#### Effective treatment

LVMC is committed to safe, evidence-based, and timely care, to prevent harm and ensure equitable outcomes.

Emergency Departments:

Through the Zero Harm initiative with BETA Healthcare Group, we have validated for Sepsis, tier one and tier two. Tier one is the initiative part of sepsis. We have incorporated order sets and reminders in the EMR to ensure compliance with the program. Tier two is the educational part which we have done and continue to do with new staff.

Obstetrics:

Our Zero Harm program prioritizes early detection of maternal and fetal risks, including maternal sepsis. Participation in BETA's Perinatal Safety Collaborative has enabled standardized protocols, data sharing, and continuous improvement, promoting safe and equitable birthing experiences.

#### Care coordination

LVMC organizes healthcare activities through a collaborative, team-based approach to support patients in navigating complex systems. Programs include:

1. "Vertical Health Care Coordination
2. "Perinatal Care Coordination

3. "Antenatal feeding support groups"
4. "Prevent type 2 diabetes (pre-diabetic education)"
5. "Classes in Spanish"
6. "Nutritional assessments"

#### Access to care

LVMC ensures timely, equitable, and comprehensive care for all community members.

Key Efforts:

1. "Reducing ED wait times and patient-reported barriers (transportation, cost, provider availability)."
2. "Establishing primary and specialty clinics."
3. "Developing a new primary care clinic in 2026"
4. "Partnering with Cottage Health and Sutter Health for regional care access"
5. "Workforce to reduce waiting times in the ED."
6. "Identity and discount programs"
7. "Services for multiple languages and dialects"
8. "Partnerships for behavioral and mental health referral in the areas with limited"

### Methodology Guidelines

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y